



Hanter IT Retail Solutions

Pneumatic Tube Systems


**CASHTRONIC<sup>®</sup>MVX One-way**


Cashtronic®MVX One-way is transporting cash and other valuables from the check-out line to the cash office.

Thanks to high reliability and advanced control functions, Cashtronic®MVX One-way is a very fast and safe way to transport cash to a protected place in a store.

Cashtronic®MVX is the most modern pneumatic tube system on the market. It is developed in close cooperation with our customers to be the most effective, user-friendly and ergonomic pneumatic tube system in the retail sector.

Our development team is constantly working on improvements and new functions in order to improve our customer's cash management.





## In the Cash Office

### 1. Main Control Unit, MCU


The MCU allows to program and to use the system without additional devices. When the system is sending/receiving, the MCU follows all processes in real time and provides all information on it's display in clear text. For example, in case of an interrupted send the user is informed about what has happened and where it has happened. Also, a possible cause to the interruption is given.


Among other important functions the MCU provides following:

- Semi-automatic booking of sends for most efficient carrier flow
- Intelligent Purge-functions in case of a power cut, etc.
- Free send/receive pattern between all stations in the system
- System memory for sends and their status
- Service mode to remote functionality control of all system units
- Possibility to connect a log-printer or PC-based monitor software

### 2. Receiving Station

Choice of a station depends on requested functions, carrier size and on a store's size. The most used options are latch station with basket, steel cabinet or security cabinet.





On the Check-out Line

### 3. Send Stations.


CASHTRONIC®MVX has broad program of sending stations for retail stores of different scale. Stations are equipped with LED signals to show system's status. User can book a send manually or let the system book and start a send automatically.

### 4. Motor Valves

CASHTRONIC®MVX pneumatic system can control different air flow control units, such as motor valves and diverters. Because of that, it is easy to configure a flexible system for different purposes and at different cost.




3



3




3




3



3



4



### Special Solutions for Check-out Line

Cashtronic®MVX One-way system can be delivered as a key-ready check-out solution with columns for power supply and communication cables to the check-out equipment such as PC, phone, scanner, etc.

The columns are very robust and can bare additional equipment such as check-out numbers, advertising boards and etc.



## 5. Carriers

Depending on cash flow and load weights Hanter recommends ergonomic Swivel Lid carriers or Heavy Duty Screw Cap carriers both for 90mm and 110mm systems.

For long lasting use Hanter carriers are equipped with felt rings.



## 6. Tube Line

Hanter PTS tubes and bends are of highest quality for use in Pneumatic Tube Systems only. Using specified PTS tubes is important to provide long and reliable system operation.

Available colors are light gray, white and transparent.



## 7. Blower

Carriers in a systems are driven by air. Blowers can be 1-phase or 3-phase. To avoid noise, blower is best to be placed in a separate room close to cash office.

